



901 South Bolmar  
West Chester, PA 19382  
Ph # 610-701-6350  
Fx # 610-701-6354

[www.palamaticusa.com](http://www.palamaticusa.com)

Email Us!  
[info@palamaticusa.com](mailto:info@palamaticusa.com)

**Branch Office**  
326 Cedar Mountain Place  
Decherd, TN 37324-4540  
Ph # 931-967-2053  
Fx # 931-962-1659

*Please fill in the following questionnaire and fax it back to the Main Office at 610-701-6354  
We shall use this information to create a budget proposal for your drum handling problem.*

### DRUM HANDLING APPLICATIONS

Company: \_\_\_\_\_

Address: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Country: \_\_\_\_\_

Contact: \_\_\_\_\_

Title: \_\_\_\_\_

Telephone No. : \_\_\_\_\_

Fax No.: \_\_\_\_\_

Email: \_\_\_\_\_

***NOTE: It is imperative to have information on items 1 through 5 for every load to be lifted.***

**1. DRUM MATERIAL:** (mark one)

- Steel
- Fiber
- Plastic
- Other

**2. DRUM DIMENSIONS:**

- Height(s)
- Diameter
- Width  
*(for square drums)*

**3. DRUM WEIGHTS:**

**4. DRUM SHAPES:** (mark one)

- Ribbed
- Straight
- Curved
- Tapered

**5. PRODUCT BEING HANDLED:**

- Name
- Free flowing
- Sticky
- Lumpy

**6. SAMPLE AVAILABLE FOR TESTING:**

**7. DRUM APPLICATION:**

Top lifting i.e. off the lid  
Side lifting

**8. MANUFACTURE OF UNIT:**

mild steel  
304 SS contacts  
316 SS contacts  
all 304 SS  
all 316 SS

**9. DESCRIPTION OF APPLICATION:**

Palletizing / Depalletizing

Picking & Pouring

**10. ROTATION PREFERENCE**

*(If applicable):*

Manual  
Geared Handwheel  
Pneumatic

**11. LIFT HEIGHTS:**

*(Please specify mm or inches)*

Minimum lift height  
Maximum lift height

Height of container or pallet being placed onto:  
*(if applicable)*

**12. OVERHEAD INFORMATION:**

*(Please specify mm or inches)*

Floor to ceiling height  
Clear overhead height  
Height to lowest obstruction

**13. DISTANCE FROM PICK UP POINT TO RELEASE POINT:**

*(Please specify mm or inches)*

**14. NUMBER OF LIFTS REQUIRED PER MINUTE:**

**15. ANY SPECIAL ELECTRICAL REQUIREMENTS:**

**16. AVAILABLE POWER SUPPLY:**

Phase  
Voltage  
Hertz

**17. LEVEL OF AMBIENT PARTICULATE (LOW OR HIGH):**

**18. AMBIENT OPERATING TEMPERATURE:**

F  
C

**19. CRANE SYSTEM REQUIRED:** (check one)

YES

NO

**20. CRANE SYSTEMS:** (check one)

Free standing jib crane (swing arm jib)

Free standing jib crane (inverted jib)

Free standing jib crane (knuckle jib)

Portable jib crane with (swing arm jib)

Portable jib crane with (inverted jib)

Portable jib crane with (knuckle jib)

Ceiling suspended bridge crane

Free standing bridge crane

Column/wall mounted jib crane (swing arm jib)

Column/wall mounted jib crane (inverted jib)

Column/wall mounted jib crane (knuckle jib)

**20. CRANE SYSTEM CONSTRUCTION:** (check one)

mild steel painted

304 stainless steel (*Stainless steel is available in all of our crane systems*)

**21. SKETCH OR NOTES OF FURTHER DETAILS:**

## **SUBMIT**

To submit this form please click on the button above while in regular mode (the hand), an email window should pop up with this document as an attached file.