



REF NO: G-001  
 FEATURES: Simple vertical floor mounted pillar with standard swing jib

Castrol



REF NO: G-002  
 FEATURES: Stanchion mounted bracket and swing jib

Dema Glass



REF NO: G-003  
 FEATURES: Ceiling mounted clevis bracket and articulated arm

Youngs Doors



REF NO: G-004  
 FEATURES: Inverted swing jib for low headroom environments



REF NO: G-005  
 FEATURES: Concrete column mounted bracket with extended clevis and swing jib

Glaxo SmithKline



REF NO: G-006  
 FEATURES: Single vertical pillar with 2 swing jib attachments and vacuum diverter valve.

Appletree



REF NO: G-007

FEATURES: Ceiling mounted swing jib maximising working floor area

President office Furniture



REF NO: G-008

FEATURES: 'H' Style gantry system with extended cantilevered support posts, creating a larger working area and maintaining fork truck access and walkways clear



REF NO: G- -009

FEATURES: Ceiling mounted 'H' Style gantry with raised bridge beam brackets for low headroom environments

Panasonic



REF NO: G- -010

FEATURES: 'H' Style gantry system suspended through a false ceiling

Van Den Berg



REF NO: G-011  
FEATURES: 'H' Style gantry system supported from floor mounted pillars



REF NO: G-012  
FEATURES: 'H' Style gatry system supported from overhead steelwork




REF NO: G-013  
FEATURES: 'H' Style gantry with telescopic bridge beam

Allied Signal



REF NO: G-014  
FEATURES: 'H' Style supported from vertical pillars and cantilevered brackets



REF NO: G-015  
 FEATURES: Various options to support stainless steel PalTrac system



REF NO: G-016  
 FEATURES: Stainless steel wall mounted bracket and swing jib for food or pharmaceutical industry. Max SWL 160kg



REF NO: G-017  
 FEATURES: Wall mounted inverted jib with raised top hat to create maximum lift. Max SWL160kg



REF NO: G-018  
 FEATURES: Ceiling mounted 360° stainless steel articulated arm. Max SWL 160kg



REF NO: G-019  
 FEATURES: Stainless steel vertical pillar and PalTrac jib. 304ss



REF NO: G-020  
 FEATURES: Stainless steel articulated arm with vacuum running through the arm, no visible hose. Ideal for pharmaceutical environments