

## MOBILE DRUM TIPPER

REF: P-M-DT-001

- 100kg Safe Working Load
- Manual geared hand wheel rotation
- Ideal for handling plastic, fibre or steel drums
- Mechanical friction brake to provide controlled rotation
- 90° and 135° tipping rotation
- 304 stainless steel cGMP compliant
- Optional drum securing straps
- Two fixed and two pivoting castors
- Unit weight approx. 300kg
- CE certified



## MOBILE DRUM TIPPER

REF: P-M-DT-002

- 200kg Safe Working Load
- Pneumatically powered push button rotation
- Ideal for handling plastic, fibre or steel drums
- Non return valves or pneumatic brake to provide controlled rotation
- 90° and 135° tipping rotation
- Optional pneumatic drum raise feature
- 304 stainless steel cGMP compliant
- Optional drum securing straps
- Two fixed and two pivoting castors
- Unit weight approx. 500kg
- CE certified



## MOBILE DRUM TIPPER

REF: P-M-DT-003

- 125kg Safe Working Load
- Manual drum rotation rotation
- Ideal for handling plastic, fibre or steel drums
- Electric raise and lower of drums
- Rechargeable battery to suit all voltages
- 90° and 135° tipping rotation
- 304 stainless steel cGMP compliant
- Optional drum clamping mechanisms
- Two fixed and two pivoting castors
- Unit weight approx. 150kg

# MOBILE POST HOISTS

Doc: PHS/IPR/2002



## MOBILE POST HOIST

REF: P-M-PH-004

- 80kg Safe Working Load
- Manual or powered 360° rotation of drum
- Ideal for handling plastic, fibre or steel drums
- Pneumatic clamping of drum or keg
- 1200mm articulated arm
- Internal pneumatic brakes for transportation mode
- Pneumatic powered raise and lower feature
- 304 stainless steel cGMP compliant
- Two fixed and two pivoting castors
- Unit weight approx. 585kg
- CE certified



## MOBILE POST HOIST

REF: P-M-PH-005

- 80kg Safe Working Load
- Manual or powered 360° rotation of drum
- Ideal for handling plastic, fibre or steel drums
- Pneumatic clamping of drum or keg
- 1200mm articulated arm
- Internal pneumatic brakes for transportation mode
- Pneumatic powered raise and lower feature
- Ideal for low headroom environments
- 2m tipping height achievable
- 304 stainless steel cGMP compliant
- Two fixed and two pivoting castors
- Unit weight approx. 585kg
- CE certified



## MOBILE POST HOIST

REF: P-M-PH-006

- 150kg Safe Working Load
- Pneumatic raise and lower of product to be handled
- Ideal for handling IBCs
- Mechanical fork or pneumatic clamping options
- Internal pneumatic brakes for transportation mode
- Ideal for low headroom environments
- 2m tipping height achievable
- 304 stainless steel cGMP compliant
- Two fixed and two pivoting castors
- Unit weight approx. 385kg
- CE certified

# FIXED POST HOISTS


Doc: PHS/IPR/2002



## FIXED DRUM TIPPER

REF: P-F-DT-056


- 250kg Safe Working Load
- Manual 90°, 135° and 180° tipping rotation
- Ideal for handling plastic, fibre or steel drums
- Optional drum/keg securing straps
- Mechanical friction brake to provide controlled rotation
- 304 stainless steel cGMP compliant
- Unit weight approx. 200kg
- CE certified



## FIXED DRUM TIPPER

REF: P-F-DT-057

- 300kg Safe Working Load
- Pneumatic or electrical powered rotation
- 90°, 135° and 180° tipping rotation of keg or drum
- Ideal for handling plastic, fibre or steel drums
- Optional drum/keg securing straps
- Optional pneumatic or electrical drum clamp
- 304 stainless steel cGMP compliant
- Unit weight approx. 200kg
- CE certified



## FIXED DRUM TIPPER

REF: P-F-DT-058

- 250kg Safe Working Load
- Pneumatic or electrical powered rotation
- Pneumatic or electrical raise and lower feature
- 90°, 135° and 180° tipping rotation of keg or drum
- Ideal for handling plastic, fibre or steel drums
- Optional drum/keg securing straps
- Optional pneumatic or electrical drum clamp
- 304 stainless steel cGMP compliant
- Unit weight approx. 200kg
- CE certified